
# **EXECUTIVE SUMMARY**

# Advanced Range Technologies Working Group



# March 2004



Co-Chairs

NASA Kennedy Space Center

Air Force Space Command



Advanced	Range	Techno	logies	Working	g Groun
1 Iu vuiiccu	runge	1 CCIIIIO	105100	VV OIRIII	S Oloup

# Advanced Range Technologies Working Group (ARTWG)


Mapping America's Next-Generation Launch and Test Range Technologies:

Roadmaps To Enable Future Launch and Test Ranges

Co-Chairs: NASA Kennedy Space Center

Air Force Space Command

Foreword



#### Advanced Range Technologies Working Group Membership

30<sup>th</sup> Space Wing

45<sup>th</sup> Space Wing

Hernandez Engineering

Honeywell Space Systems

ACTA Inc. Indyne

Aerospace Corporation Infoware Systems Inc.

Aerospace Industries Association Institute for Defense Analysis
Aerospace States Association Interface and Control Systems

Aero-Thermo Technology, Inc. International Consortium for Telemetry Spectrum

Aim8 Product Development Inc. ISDR

Air Force Research Laboratory ITT Industries, Systems Division
Air Force Space Command Kelley Logistic Support Systems

Air Traffic System Requirements Service Kirtland Air Force Base Alliant Techsystems Inc. Kistler Aerospace

All Points Logistics, Inc. Knowledge Based Systems Inc.

Altech Services, Inc.

Analex Corporation

Anteon Corporation

Applied Meteorology Unit

Applied Physics Lab

KT Engineering

L3 Communications

Le Bas International

LJT and Associates

Lockheed Martin

APT Research Loral Space and Communications

ASRC Aerospace Microcosm, Inc.

ATK Tactical Systems MITRE

Avmet Applications International NASA Ames Research Center

BAE Systems NASA Dryden Flight Research Center
Boeing NASA Glenn Research Center

Booz Allen Hamilton

NASA Goddard Space Flight Center
California Space Authority

NASA Jet Propulsion Laboratory

NASA Johnson Space Center

Coleman Aerospace

NASA Kennedy Space Center

Command & Control Technologies Corp

NASA Langley Research Center

NASA Marshall Space Flight Center

Custom Manufacturing & Engineering, Inc.

NASA Stennis Space Center

Delta Velocity Corporation NASA Wallops Flight Facility

Department of Commerce (DOC)

National Coalition of Spaceport States

Department of Transportation (DOT)

National Oceanic and Atmospheric Administration

DFI International Navair

Dynacs Engineering Co. Naval Ordnance Test Unit (NOTU)

Dynamac Corp. NAWC-WD Pt Mugu

Ebertech Electronic Solutions Nebraska Space Grant Consortium
Edwards Air Force Base New Mexico State University

Elgin Air Force Base Nnorth Consulting

ENSCO, Inc.

North Carolina A&T State University

Federal Aviation Administration

Florida Air National Guard

Florida Space Authority

Orbital

Ortimal Synthesis, Inc.

Florida Space Authority

Harris Corporation

Orbital

Peterson Air Force Base

Reagan Test Site

**Reliable System Services Corporation** 

RSO Inc.

RSS Corp.

**RTI International** 

RTS

SAIC

**SBC Global** 

**Schafer** 

**Scitor** 

SGS

Sigmatech

SI International

**Southern Marketing** 

SPACE.com

**Spaceflight Meteorology Group** 

Space Information Labs, Inc.

**SRI** International

**SRS Information Services** 

**Sverdrup Technologies** 

The Madewell Group

**Tinker Air Force Base** 

**Titan Systems** 

**TYBRIN** 

**United Paradyne Corporation** 

University of Alaska at Anchorage

**University of Arizona** 

**University of Central Florida** 

**University of Nebraska Lincoln** 

**University of Oklahoma** 

U.S. Air Force Headquarters

U.S. Navy

Vandenberg Air Force Base

Veridian

VidNet Systems, Inc.

**Virginia Space Flight Authority** 

**Wallops Flight Facility** 

White Sands Missile Range

Wright-Patterson Air Force Base

Zel Technologies, Inc.

ZHA Inc.

#### Advanced Range Technologies Working Group (ARTWG) Leadership Team

ARTWG Co-Chairs: Darin Skelly, NASA Kennedy Space Center, Florida

Major Debra Fogle, HQ AFSPC/XPX, through May 2003

Major Jennifer Draper, HQ AFSPC/XPXZ

Facilitator: Timothy Kotnour, Ph.D. Associate Professor, Industrial and Systems

Engineering, University of Central Florida, Orlando, Florida

#### **ARTWG Subgroup Co-Chairs:**

#### **Tracking and Surveillance**

Lt. Col. Rembert Schofield, 45 RANS/FLANG, Cape Canaveral AFS, Florida Victor Villhard, Booz Allen Hamilton, Colorado Springs, Colorado

#### **Telemetry**

Jim Shaver, NASA Kennedy Space Center, Florida

Dr. Sandra Slivinsky, Air Force Research Lab, Kirtland AFB, New Mexico

#### **Communication Architecture**

Erik Denson, NASA Kennedy Space Center, Florida Karen Barker, Lockheed Martin, Bethesda, Maryland

#### Range Command and Control Systems

Steve Swichkow, NASA Kennedy Space Center, Florida Dr. Paul Phister, Air Force Research Lab, Rome, New York

#### **Decision Making Support**

Kathy Potter, NASA Kennedy Space Center, Florida

Marti Fallon, Aerospace Corporation, Colorado Springs, Colorado

#### Planning, Scheduling, and Coordination of Assets

Marty Waldman, 30th Space Wing, Vandenberg AFB, California

Darren Buck, United Space Alliance, Cape Canaveral, Florida, through May 2003

William Nelson, Booz Allen Hamilton, Santa Maria, California


#### **Weather Measurement and Forecasting**

John Madura, NASA Kennedy Space Center, Florida

Rick Heuwinkel, FAA/ARS Washington, D.C. through May 2003 Joann Ford, FAA/ARS, Washington, D.C., since May 2003


#### Additional assistance with development of report:

- California Space Authority
- Booz Allen Hamilton




#### TABLE OF CONTENTS

	Page
EXECUTIVE SUMMARY	3
PURPOSE	3
SCOPE	4
APPROACH	6
VISION FOR IDEAL FUTURE SPACE LAUNCH AND TEST RANGES	8
ADVANTAGES OF THE FUTURE RANGE VISION	10
CAPABILITY AND TECHNOLOGY ROADMAPS	10
SUBGROUP CAPABILITY AND TECHNOLOGY ROADMAPS	12
CONCLUSION AND RECOMMENDATIONS	30
LIST OF FIGURES	
	Page
Figure 1. Spaceport and Range Elements of the Macro Space Transportation System	0
Figure 2. U.S. Range Stakeholders' High-Level Needs	
Figure 3. Examples of Future Space Launch Vehicles Requiring Range Support	
Figure 4. ARTWG's Three-Pronged Approach	7
Figure 5. Vision for Future Global Launch and Test Range Architecture	
Figure 6. Range Vision: System Capability Goals Over Time	
Figure 7. Capability Goals Over Time: Tracking and Surveillance	
Figure 8. Technology Roadmap for Tracking and Surveillance	
Figure 9. Capability Goals Over Time: Telemetry	
Figure 10. Technology Roadmap for Telemetry.	
Figure 11. Capability Goals Over Time: Communication Architecture	
Figure 12. Technology Roadmap for Communication Architecture	
Figure 13. Capability Goals Over Time: Range Command and Control	19
Figure 14. Technology Roadmap for Range Command and Control	
Figure 15. Capability Goals Over Time: Decision Making Support	21
Figure 16. Technology Roadmap for Decision Making Support	
Figure 17. Capability Goals Over Time: Planning, Scheduling, and Coordination of Asset	s 23
Figure 18. Technology Roadmap for Planning, Scheduling, and Coordination of Assets	
Figure 19. Capability Goals Over Time: Weather Measurement and Forecasting	
Figure 20. Technology Roadmap for Weather Measurement and Forecasting	
Figure 21. Capability Goals Over Time: Cross-Cutting Architecture	
Figure 22. Technology Roadmap for Cross-Cutting Architecture	29



### **EXECUTIVE SUMMARY**



#### **EXECUTIVE SUMMARY**

On February 8, 2000, the White House released a report titled, "The Future Management and Use of the U.S. Space Launch Bases and Ranges." The report recommended "the Air Force and NASA should develop a plan to examine, explore, and proceed with next-generation range technology development and demonstration, with a focused charter to improve safety, increase flexibility and capacity, and lower costs for reusable and expendable launch vehicles." In response to this recommendation, NASA and the United States Air Force (USAF) established the Advanced Range Technologies Working Group (ARTWG).

#### **PURPOSE**

The purpose of the ARTWG is to cooperatively develop a national vision through a broad coalition of space transportation industry experts and stakeholders. The ARTWG provides a forum and framework to formulate a strategy and identify enabling technologies needed to achieve that vision. Membership includes NASA Centers/Programs, private industry, current and future spaceport and range customers, operators and developers (including existing and emerging launch services providers), commercial and emerging spaceports, academia, states, the Federal Aviation Administration (FAA), Department of Defense (DoD), and Department of Commerce (DOC). The ARTWG was chartered to:

- Identify space launch and test range technology needs for a broad spectrum of ranges.
- Develop a roadmap (plan) that contains project options for the development and demonstration of range technologies that will meet the needs of the existing and future ranges established by Federal policy or by other U.S. entities.
- Develop plan approaches and options for reaching the next-generation advanced ranges of the future.

#### The ARTWG focus includes:

- Orbital and suborbital ranges tracking expendable and reusable launch vehicles.
- Government and nongovernment, existing and future ranges.

The ARTWG has subdivided the "Range" into seven technical focus areas, which include:

- Tracking and Surveillance
- Telemetry
- Communication Architecture
- Range Command and Control Systems (RCCS)
- Decision Making Support
- Planning, Scheduling, and Coordination of Assets
- Weather Measurement and Forecasting

The Advanced Spaceport Technologies Working Group (ASTWG) addresses spaceport (ground launch site) technologies and also pulls the Cross-Cutting Architecture Roadmaps that were consistent in many technology focus areas. The ARTWG is coordinating its activities with the ASTWG so that two key areas of the Macro Space Transportation System, Range and Spaceport, are addressed (see Figure 1).




Figure 1. Spaceport and Range Elements of the Macro Space Transportation System

#### **SCOPE**

Future next-generation range functions will be driven by the needs of various range stakeholders, including spaceport operators; launch vehicle and payload designers, developers, and operators; range administrators; and oversight and regulatory arms of the Federal government. Each stakeholder group has its own set of needs today and for the future. Some of these needs overlap, including the desire for reliable, responsive, and cost-effective range operations. Others are more unique to individual stakeholder groups. For example, DoD is more interested than some of the other stakeholders in the ability to responsively launch and operate spacecraft in orbit, requiring responsive range support as well. Figure 2 summarizes the results of the

ARTWG's assessment of the various range stakeholders' current and future needs for range capabilities.

## A variety of range stakeholders in several categories has some common and unique needs today and for the future.

#### Affordable Access to Space

**Common Needs:** safety, security, resource protection (including physical security, force protection, and information assurance), lower costs, greater flexibility, increased capacity and concurrent operations, shortened flight plan approval, effective data handling and information systems.

Stakeholder Group	Stakeholders	Today's Needs	Future Needs
Spaceports (Customer)	Federal Spaceports     State Spaceports     Commercial Spaceports     Developing Spaceports	Flexible, robust, and efficient systems that can support high-flight rates     Shared-use infrastructure that supports concurrent operations     Cost-effective systems     Opportunities to create viable new spaceports     Effective master planning	Cost-effective     Ability to access a variety of orbits     Effective master planning     Multimode transportation     Effective data handling and information systems
Launch Vehicle Designers, Developers, Providers, and Operators (Customer)	Government     Military     Civil     Other  Commercial	Responsive and robust range Engineering data during development Reliable and flexible launch dates Effective data handling and information systems Effective regulatory coordination	Efficient, cost-effective, responsive, and robust range     Evolving regulatory process in space with vehicle developments     Less impact to vehicle systems     Vehicles with short turnaround time     Simplified/standardized system interface:
Payload Providers and Developers (Customers)	Government     Military     Civil     Other     Commercial     Nonprofit (e.g., academia)	Responsive and robust range Reliable and flexible launch dates Rapid access to space (DoD) Highly reliable vehicles Increased standardization between vehicle and operations	Responsive and robust range     Large surge launch rate capability     International range compatibility     Short notice launch and landing world wide     Improved coordination
Range Administrators (Owners and operators)	Military     Civil     Other	Consistent compliance processes     Increased automation     Low turnaround time between launches     Highly reliable vehicles	Reduced asset costs     Full integration with FAA ATC, space surveillance network     Interoperability between ranges     Align range to support routine operations or test and evaluation     Global coverage
Federal and State Governments (Funding and oversight)	U.S. Government     State Governments     Local Governments	Economic competitiveness     Environmental stewardship     Standardized and simplified Government policies     Workable, effective regulations	Routine space transportation     Appropriate regulatory processes that meet public safety and commerce needs     International agreement on Range operations

Figure 2. U.S. Range Stakeholders' High-Level Needs

Two primary types of missions are likely to require support from space launch and test ranges in the future. They are:

• Space Launch and Recovery Operations – Including, for example, expendable launch vehicle (ELV), Space Shuttle, and reusable launch vehicle (RLV) launch and recovery operations, including suborbital RLVs and entrepreneurial systems, for a wide variety of national security, civil, and commercial missions, and launches and recovery operations involving the Orbital Space Plane (OSP) and Next-Generation Launch Technology (NGLT) being developed under NASA's Space Launch Initiative (SLI), part of its Integrated Space Transportation Plan (ISTP). In the far term, it is envisioned that suborbital RLVs (SRLV) will emerge and also "drive" the space-launch industry market.

• Test and Evaluation (T&E) Mission – Including, for example, aeronautical flight testing of civil and military aircraft and flight systems, various types of guided missiles, and unmanned aerial vehicles (UAVs) with a variety of possible applications; intercontinental ballistic missile (ICBM) and submarine-launched ballistic missile (SLBM) T&E missions; orbital and suborbital flight demonstrations for DARPA's operationally responsive FALCON Program, Ballistic Missile Defense Systems (BMDS) T&E, and flight testing of hypersonic missiles, propulsion systems, and vehicles as part of the National Aerospace Initiative (NAI) - a cooperative effort across DoD and NASA. Although this mission is not the primary focus of the ARTWG, the technologies being identified are synergistic with the advancements needed in this community (see Figure 3).




Figure 3. Examples of Future Space Launch Vehicles Requiring Range Support

While space launch and T&E missions are challenging for the space launch ranges to support, the most "stressing" technical challenges will be for future SRLVs, and the currently planned T&E activities associated with the planned flight testing of ballistic missile defense systems involve multiple high-speed targets and interceptors being launched from multiple locations, including ships and aircraft, at widely dispersed geographic locations.

#### APPROACH

Recognizing the ARTWG as an interagency program formulation effort that involved a diverse set of stakeholders, ARTWG followed a three-pronged approach to developing the ARTWG Technology Plan (see Figure 4). The three efforts focused on:

- 1. Build and follow a Strategic Program
- 2. Build the ARTWG Technology Plan
- 3. Build the ARTWG Community




Figure 4. ARTWG's Three-Pronged Approach

To accomplish the scope of the ARTWG charter, ARTWG developed an integrated approach to ensure all interested stakeholders would be able to participate. To build a broad level of involvement, the ARTWG undertook the following actions:

- Implemented a shared leadership structure across agencies and organizations.
- Invited participation within the working groups.
- Conducted open meetings, conferences, and workshops.

The ARTWG roadmaps and recommendations will be reviewed by senior Government representatives, including:

- Senior Steering Group Representatives from NASA, FAA, Office of Secretary of Defense (OSD), and USAF to provide guidance to the Executive Steering Committee and the ARTWG Leadership Team. Members will be appointed by NASA and the USAF.
- Executive Steering Committee Senior Representatives from Federal organizations, such as NASA, USAF, FAA, OSD, and others as appointed to provide senior agency guidance and recommendations.

It is envisioned that the products of the ARTWG will become the national roadmaps for the development of future next-generation space launch and test ranges. All ARTWG efforts were focused on first defining the vision for future range capabilities, then establishing goals and objectives for each function and subfunction within each of the seven technical focus areas. Next, each subgroup outlined a series of technical challenges and approaches to address each challenge. The roadmaps that resulted from the process of defining goals (G), objectives (O), technical challenges (TCH) and approaches (A) are referred to as GOTCHA charts.

#### VISION FOR IDEAL FUTURE SPACE LAUNCH AND TEST RANGES

Over the past 25 years, a variety of studies have assessed the advantages of various alternative range architectures and approaches. Most recently, the Extended Range Concept Definition Study - sponsored by the California Space Authority and conducted between September 2001 and September 2002 by Booz Allen Hamilton under contract with DoD's Information Assurance Technology Analysis Center - built on this body of range-related studies. It described and evaluated various options and recommended a next-generation space launch and test range based on evaluation criteria established through interaction with range stakeholders. The ARTWG adopted the elements of this study in the course of defining its vision for the future.

A primarily space-centric range supplemented by mobile assets would improve the adaptability and flexibility of future ranges in terms of their ability to accommodate higher- or lower-than-projected workload, provide expanded geographic coverage to a global scale, and provide the ability to increase capacity by using mobile assets for supplemental coverage where and when needed (Figure 5). By leveraging synergistic technologies and approaches and by sharing use of systems, such a future range could be less expensive to operate and maintain.




Figure 5. Vision for Future Global Launch and Test Range Architecture

Such a future range would use a global positioning system (GPS) for tracking data and communication satellites for relaying telemetry and commands between flight vehicles and range assets, as well as for communications between and among range control centers and range assets. The vision would be to maintain a robust, two-way data link with flight vehicles for both telemetry and commanding. Such a future range would also incorporate modernized ground-based or mobile range assets to provide up-range tracking of debris and telemetry and commanding capabilities required to meet safety standards without the time delay associated with using satellites. Broadband relay satellites would be used as the primary telemetry and commanding capability for down-range operations requiring hemisphere- or global-scale range coverage, where the time delay can be accommodated without adversely impacting the safety of range-supported operations. Mobile range assets would be used to provide additional flexibility to supplement range coverage and capabilities in cases when specific missions require particular range support functions that could not be met by satellites alone.

Developing such a future range architecture with both space-based and mobile range assets would improve adaptability, flexibility, and geographic coverage of range capabilities along with expanded capacity as needed to meet projected missions while enabling incremental development and technology demonstrations at relatively low cost and risk.

#### ADVANTAGES OF THE FUTURE RANGE VISION

The ARTWG's vision of the ideal range for the far-term future (i.e., 25 years hence) would provide substantial advantages over today's ground-based, fixed-location range architectures in terms of the following desirable characteristics:

- a. Reliable, available, operable, and maintainable
- b. Adaptable to fit the mission
- c. Flexibility/capacity
- d. Integrated with other systems
- e. Economical
- f. Integrated range system
- g. Customer friendly

#### CAPABILITY AND TECHNOLOGY ROADMAPS

The purpose of the ARTWG is to define a national technology strategy to enable development of future space launch and test range capabilities relying primarily on space-based assets, supplemented by mobile range assets (e.g., UAV, high-altitude airship [HAA]) as needed, to meet future mission needs. Each ARTWG subgroup developed both a capability roadmap to establish performance goals and objectives over time and a technology roadmap. Figure 6 summarizes the top-level goals for range system capabilities over time.




Figure 6. Range Vision: System Capability Goals Over Time

For the near-term, the primary focus is on demonstrating the utility and beginning some operational use of existing space-based (e.g., GPS, Tracking and Data Relay Satellite System [TDRSS], etc.) and mobile (i.e., UAV and HAA) assets as range instrumentation platforms. For the mid-term, the focus shifts to more integrated operational use of space-based and mobile-range assets. For the far-term, the goal is to have 80 to 90 percent of range systems on space-based platforms that can be seamlessly augmented when and where needed, with mobile or deployable assets, and modernized ground assets at departure and recovery locations.

Another major development theme is to continue improving modeling, simulations, and database systems to enable semiautomation of processes, systems, and functions through the near-term so they can evolve to semiautonomous capabilities in the mid-term. The far-term goal is to use realistic virtual modeling with intelligent systems and optimized use of autonomous systems for various functions, including onboard flight vehicle systems (if desired) and schedule deconfliction.

A third major development theme is to improve standardization, interoperability, and integration of systems throughout a single spaceport and range that is retrofitted into the National Airspace

System (NAS) for the near-term, across multiple spaceports and ranges and integrated into the NAS for the mid-term, and fully integrated across a global range network for the far-term.

Finally, several technical areas of range performance were identified for continuous improvement, including modernizing sensors, optimizing the use of frequency spectrum, and improving quality of voice/video/data communication services at higher data rates.

The ARTWG subgroups used this top-level description of the overall capability and performance goals when describing how the seven technical focus area capabilities should evolve over time.

#### SUBGROUP CAPABILITY AND TECHNOLOGY ROADMAPS

These products were developed as a result of intensive effort by each subgroup. Each subgroup consisted of subject matter experts from across the country, working together on an ad hoc and voluntary basis, under the direction of the subgroup co-chairs and the ARTWG leadership. They are the product of facilitated brainstorming over the course of several months, review by technical experts, and a facilitated miniretreat for each subgroup to capture the results of these brainstorming activities in a consistent format. The ARTWG leadership team addressed the areas of overlap among the technology areas identified by the subgroups and identified crosscutting capabilities and technical approaches.

The ARTWG team recognizes that these products can and should be further refined to address inadvertent omissions and developments in current and new technologies being pursued in various Government, commercial, academic, and international environments. It is therefore the intent of the ARTWG to continue pursuing an orderly process over time to evolve and refine these products and produce future updates of the capability and technology roadmaps presented in this section. See Figures 7 through 22.

#### TRACKING AND SURVEILLANCE




Figure 7. Capability Goals Over Time: Tracking and Surveillance




Figure 8. Technology Roadmap for Tracking and Surveillance

#### **TELEMETRY**




Figure 9. Capability Goals Over Time: Telemetry

Space-based and mobile platforms, signal processing, alternate uses of frequency spectrum, antenna technologies, optical and magnetic storage media, and advanced data handling.	ms, signal processing, alternate uses of frequency spectrunand magnetic storage media, and advanced data handling.	te uses of frequency spectr and advanced data handlin	um, antenna technologies, 1g.	optical
Telemetry Technology Areas	Near-Term (FY 2004 - 2009)	Mid-Term (FY 2010 - 2015)	Far-Term (FY 2016 - 2028)	
Acquire High-Rate Data	Demo use of multiple platforms, look angles, expanded coverage	Improve performance of mobile platforms for telemetry acquisition	Also for Trackling, 62, Comm	
- Space-based and mobile platforms	Demo small, lightweight, low power transceivers TDRSS, DoD & Coml satellites DoD, NASA, FAA, Coml UAVs, HAAs	ower transceivers  Phase in new capabilities As	Assets for telemetry acquisition   Improve   Capabilities	
- Signal processing	For UAV video, space probe, commercial data DoD, NASA, Coml data compression Adapt NASA error correction codes	ession codes	Also for Trackling, 62, Comm	
- Unused/Unassigned frequency spectrum	NASA JPL – for deep space probe data  DoD Transformational Communication System Optical, laser, millimeter wave links Ultra Wideband Spectrum sensing, characterization	links  nd ation & coordination	Also for 62, comm	
- Antenna technology	Phased arrays Frequency-agile materials & beams Ultra Wideband antennas		Also for 62, Comm Configurable antenna systems	
Process Data - Extracting real-time data within latency and link margins	Faster COTS processors Improved coding approaches	erdes chips, proto	Also for 62, Decision Making	
- Auto-Initialization	Standards, protocols to document TM	ment TM	Also for Comm	

Figure 10. Technology Roadmap for Telemetry

#### COMMUNICATION ARCHITECTURE




Figure 11. Capability Goals Over Time: Communication Architecture

Communications	ARTWG COMMUNICAT	ARTWG COMMUNICATIONS ARCHITECTURE TECHNOLOGIES ROADMAP	HNOLOGIES ROADMAP	
Technology Areas	Near-Term (FY 2004 - 2009)	Mid-Term (FY 2010 - 2015)	Far-Term (FY 2016 - 2028)	
Distribution of High- Rate Voice, Video, Data	Demo use of multiple platforms, expanded coverage and capacity	Improve performance of mobile platforms for voice, video, data relay	Rely on space-based and mobile	
- Space-based and	Demo small, lightweight, low power transceivers	power transceivers	assets for telemetry acquisition	
mobile platforms	Dod, NASA, FAA, Comi UAVs, HAAs	Phase in new capabilities	s Improve capabilities	
	For UAV video, space probe, commercial data DoD, NASA, Coml data compression	ial data pression		
- Signal processing	Adapt NASA error correction codes	sepoo		
	NASA JPL – for deep space probe data Optical, laser, millimeter wave		DoD Transformational Communication System Inks	
- Unused/Unassigned	Ultra Wideba	pu	The learned man (PS)	
	Spectrum sensing, characterize	zation & coordination		
	Phased array antennas	<u> </u>		
- Antenna technology	Frequency-agile materials & beams	erials & beams		
	Ultra Wideband antennas		Configurable antenna systems	
Ground policy	Integrate voice, video, data	Continuously improve Quality of Service (QoS)	Service (QoS)	
	Next-generation Internet	Global Ir	Global Information Grid	
	Protocol Development			
Record/Archive Data	Blue laser/fast readout optical storage	al storage		
	Hybrid opt	Hybrid optical/magnetic media		
- Opucal, magnetic,	Patterned magnetic media	<b>4</b>		
media	Silicon & antiferromagnetically-coupled arrays	y-coupled arrays		
	Model and network-based Embedded software	nbedded software		
- Data handling	High-productivity and other a	High-productivity and other advanced computing technologies	ies	

Figure 12. Technology Roadmap for Communication Architecture

#### RANGE COMMAND AND CONTROL SYSTEMS




Figure 13. Capability Goals Over Time: Range Command and Control

Command and Control Technology Areas	Near-Term (FY 2004 - 2009)	Mid-Term (FY 2010 - 2015)	Far-Term (FY 2016 - 2028)
Monitor Range Assets	Standard interfaces and plum analay algorithms	y shorithms	
	Data fusion (Level 0-1)	Data fusion (Level 2)	Data fusion (Level 3-4)
- Data nandling: data fiision and	Shallow-rule based	Intermediate-fuzzy logic	Deep-expert systems
information extraction	Built-in Test Equipment	Self-diagnostic systems	
- Self-diagnostic / healing systems	S/W wrappers for legacy systems  Modeling and simulation to predict failures  New/smart sensors—MEMS, nano-, bio-technologies	/ / / ·	Integrated system health monitoring and self-healing systems
Automatic Configuration	Centralized control of assets Interoperable systems	Responsive, self-configuring systems Automated systems	Continuous availability worldwide Autonomous systems
Execute C2 of Range	Demo use of multiple platforms, look angles, expanded coverage	Improve performance of mobile platforms for command and control	<b> </b>
Assets, Flight Vehicles	Demo small, lightweight, low power transceivers	wer transceivers	Rely on space-based and mobile assets for command and control
- Space-based and mobile platforms	TDRSS, DoD & Coml satellites DoD, NASA, FAA, Coml UAVs, HAAS Optical, laser, millimeter wave linl	Phase in new capabilities inks	Improve capabilities
<ul> <li>Unused/unassigned frequency spectrum</li> </ul>	Ultra Wideband Spectrum sensing, characteriza	nd zation and coordination	Also for Tracking,
- Antenna technology	Phased arrays Frequency-agile materials and beams	s and beams	Telemetry, Comm —
	Ultra Wideband antennas		Configurable antenna systems
- Autonomous FTS	Standardize digital command protocols and improved modulation techniques	votocols and improved modu	lation techniques

Figure 14. Technology Roadmap for Range Command and Control

#### DECISION MAKING SUPPORT




Figure 15. Capability Goals Over Time: Decision Making Support

	ARTWG DECISION	ARTWG DECISION MAKING SUPPORT TECHNOLOGIES ROADMAP	VOLOGIES ROADIMAP
Decision Making Technology Areas	Near-Term (FY 2004 - 2009)	Mid-Term (FY 2010 - 2015)	Far-Term (FY 2016 - 2028)
Modeling & Simulation	Model and network-based embedded software	nbedded software	Also for 62, Comm
	High-productivity and other a	High-productivity and other advanced computing technologies	ies
- Data handling: fusion,	Data fusion (Level 0-1)	Data fusion (Level 2)	Data fusion (Level 3-4)
computing	Shallow-rule based	Intermediate-fuzzy logic	Deep-expert systems
)	Standard interfaces and plug-n-play algorithms	g-n-play algorithms	
- Decision Making	Also for Weather	4	
- Higher-fidelity models and more realistic	Improved environmental inputs Vehicle breakup research & analysis Reactive guidance, navigation, and control	ontrol	Automated, dynamic models and processes
simulations	Improved models – debris, blast Improved visualizations		Integrated decision tools and model simulations
Integration with FAA	•	,	
Space & Air Traffic Management System	Improved space and air traffic prediction models		Automated air traffic collision avoidance systems
- Collision avoidance			<b>-</b>
Displays	Human-computer interfaces		Dynamic integrated global collaboration environment
- COTS video	Desktop display software		/
	Web-enabled display software	e.	
- 3-D immersive	Automatic virtual environments ग्रिशिल सिना निष्कालिसीहोत	tic virtual environments INISA किए निष्टालीयोजन, निर्वाशकानीयण (८%) दिनाकाक, Mesalthar	Ann Mesther

Figure 16. Technology Roadmap for Decision Making Support

#### PLANNING, SCHEDULING, AND COORDINATION OF ASSETS (PSCA)




Figure 17. Capability Goals Over Time: Planning, Scheduling, and Coordination of Assets




Figure 18. Technology Roadmap for Planning, Scheduling, and Coordination of Assets

#### WEATHER MEASUREMENT AND FORECASTING




Figure 19. Capability Goals Over Time: Weather Measurement and Forecasting

Better sensors, models, and data fusion, communications, flexible lightning and upper-level wind launch commit criteria, better use of tools and expertise to develop safer vehicles, better mesosphere and space models. 2016 - 2028) Far-Term Global/Meso/Convective Scale Models; Ensemble models Improved Algorithms: Decision, Risk Assessment, Radar, Radiometer Improve & increase use of Wind Profilers & Doppler Scanning Lidars Research relationships of electric fields to atmospheric parameters mproved Accuracy/Speed of Weather Warning Communications Blended System Models—Forecasters able to adjust weights Reduce vehicle, payload, and FTS vulnerability to lightning Remote Sensors (space-based, profilers, radars, lidars) ARTWG TECHNOLOGIES ROADMAP FY 2010 - 2015) Improved fusion, visualization, and assimilation tools Improved models - debris, blast, radiation, acoustic Increased staff meteorologists in development orgs Mid-Term Improve operability and capability of current tools Improve operability and capability of current tools **UAV Sensors** mproved vehicle and payload breakup models Fusion, Assimilation and Visualization Tools Improve Threat Assessment Techniques Improve data processing for winds Improved environmental inputs mproved forecasts/models (soil, ocean and river buoys, GPS) Improve inputs/collection Boundary layer research FY 2004 - 2009) Near-Term **Fixed Sensors** - 4D data resolution/accuracy **Debris Impact Points** - Ascent and Descent Winds Spaceport Ops and Criteria Evaluation Vehicle Recovery **Blast Predictions** Radiation Fallout Technology Areas Weather Systems Space Forecasts Launch Commit **Toxic Corridors** - Triggered Lightning Infrastructure/ Forecasts for - Communications - Data Fusion People - Models Improve:

Figure 20. Technology Roadmap for Weather Measurement and Forecasting

#### CROSS-CUTTING ARCHITECTURE




Figure 21. Capability Goals Over Time: Cross-Cutting Architecture (Sheet 1 of 2)




Figure 21. Capability Goals Over Time: Cross-Cutting Architecture (Sheet 2 of 2)

Key technologies for cross-cutting architecture include automated systems, autonomous self-repairing systems, integrated system health monitoring and self-healing, software intelligent agents, data fusion, model and network-based embedded Data fusion (Level 3-4) Integrated system healt Biometric techniques self-healing systems Deep-expert systems Continuous availability worldwide Autonomous, self-repairing systems (FY 2016 - 2028) Sniffer software Far-Term High-productivity and other advanced computing technologies Software intelligent agents MEMS, nano-, bio-inspired technologies Responsive, self-configuring systems Intermediate-fuzzy logic (FY 2010 - 2015) Data fusion (Level 2) Screening software Mid-Term Defense in depth strategy in network and system Standard interfaces and plug-n-play algorithms Model and network-based embedded software software for testing. Modeling & simulation to predict failures Vehicle breakup research & analysis Improved encryption algorithms Improved models - debris, blast improved environmental inputs S/W wrappers for legacy system Password access control (FY 2004 - 2009) Improved visualizations Data fusion (Level 0-1) Remote repair capability teroperable protocols Centralized control of assets Near-Term Shallow-rule based 'smart sensors– Firewalls Fault tolerance/isolation Self-Repairing Systems Security and Information **Technology Areas** Data handling: fusion, Higher-fidelity models Simulation and Testing extraction, and faster Self-Healing Systems and more realistic **Cross-Cutting** Self-Organizing simulations computing Assurance

Figure 22. Technology Roadmap for Cross-Cutting Architecture

#### CONCLUSION AND RECOMMENDATIONS

Under the shared leadership of the USAF and NASA, the ARTWG has carried out the recommendation from the February 2000 interagency report on *The Future Management and Use of the U.S. Space Launch Bases and Ranges* to "develop a plan to examine, explore, and proceed with next-generation range technology development and demonstration." The capability and technology roadmaps presented in this report outline the technologies and demonstrations that should be pursued to enable the development of next-generation range capabilities that would "improve safety, increase flexibility and capacity, and lower costs for reusable and expendable launch vehicles" while also enabling support for emerging and projected test and evaluation missions.

The next step along the path toward developing more capable and efficient next-generation space launch and test ranges should focus on how to "proceed with next-generation range technology development and demonstration," as recommended by the interagency report.

- This should begin with a coordinated interagency effort to pursue the resources and authority necessary to orchestrate and conduct the technology development and demonstration activities outlined in the roadmaps.
- A coordinated interagency program involving multiple Government agencies should be created to direct and coordinate the development and implementation of a coherent overall strategy and plan for the nation's development of a primarily space-centric range capability supplemented by mobile range assets.

The most pressing range support issues that must be addressed and resolved in the near-term include:

- Access to and efficient use of frequency spectrum to support range functions and users.
- Target/miss distance measurement to support increasingly complex and diverse ballistic missile defense testing scenarios involving new geographic areas and multiple flight vehicles.
- Data relay issues associated with the use of satellites, particularly in geosynchronous Earth orbit (GEO), for range and user telemetry, communications, and command and control.
- Operationally responsive range to support rapid range launch and reconfiguration for the Operationally Responsive Spacelift (ORS) Program.

Both within and outside the range community, many opportunities for synergy exist among a variety of ongoing programs and research, development, and demonstration activities. These activities should be leveraged and pursued to enable the spiral development of new range capabilities that will be useful in incrementally improving the capability and efficiency of the nation's ranges. The ultimate goal of these efforts should remain focused on achieving the vision for a next-generation space launch and test range capability.

The following specific opportunities for synergy should be pursued as part of the overall strategy to pursue the technologies and demonstrations included on the ARTWG technology roadmaps:

- NASA, commercial, and DoD UAV technology and development efforts should be leveraged to assist the range community in affordably developing and demonstrating the use of mobile range assets to provide additional capabilities, capacity, geographic coverage, adaptability, and flexibility in providing range support when and where needed.
- Missile Defense Agency, Army, Navy, Coast Guard, and FAA interest in high-altitude airships for area surveillance should be leveraged and pursued as an area for synergistic development and demonstration, ultimately leading to low-cost, multiple-use mobile platforms for range instrumentation and assets.
- The range community should pursue synergistic opportunities to demonstrate new spacebased and mobile range technologies and capabilities to provide support during flight test missions involving ballistic missile defense test scenarios and flight test activities being pursued under the joint DoD-NASA National Aerospace Initiative.
- The Defense Information Systems Agency's (DISA) Joint Interoperability Test Command (JITC) efforts to address efficient, interoperable data links and its expertise in interoperability certification could be leveraged by the range community in its efforts to apply technologies, approaches, and techniques to range Command, Control, Communications, Computers, and Intelligence (C4I) systems and capabilities.
- The Joint Advanced Missile Instrumentation (JAMI) program (developing flight and ground systems to track missiles and targets without relying on ground-based radar by utilizing GPS and guidance system data with existing telemetry links and infrastructure) should be viewed by the range community as a significant opportunity for synergistic development of on-board flight vehicle instrumentation to more efficiently interface with range systems, including demonstrations of new technologies and systems.
- DoD's Multi-Service Target Control System (MSTCS) Project (a modular, interoperable GPS-based system with high- and low-rate data links) should be leveraged to develop systems capable of providing precise tracking data for space launch and flight test vehicles as well as target control for vehicles involved in missile defense testing.
- The UAV Battlelab at Eglin Air Force Base (AFB) is pursuing significant developments in digital video data compression technology that should be explored and leveraged by the range community as a means of making more efficient use of frequency spectrum on space launch and flight test ranges.
- The Naval Research Laboratory (NRL) has efforts to develop wide bandgap semiconductor materials, and technologies should be leveraged by the range community to include prototype hardware to demonstrate use of higher frequencies for telemetry, communications, and command and control in conjunction with other range technology demonstration activities.

- The range community should engage with the Transformational Communication Office (TCO) to ensure its plans and programs include future range systems and requirements. This program is intended to remove bandwidth constraints through a new network of high-capacity satellites for use in combination with the Global Information Grid.
- FAA's continued NAS modernization efforts have many similar capability needs and technology development areas such as CNS, weather, and decision support tools. Through related technology needs, the possibility of sharing common assets (radar, communications networks, etc.) and operational dependencies, a common air and space transportation system is expected to evolve.

